

FEDERAL SIGNAL CORP SIGNAL DIV  
 MR. LEONARD STEINBEIGLE  
 2645 FEDERAL SIGNAL DR  
 UNIVERSITY PARK IL 60466

Your most recent Certification is shown below. Please review the text and contact the Customer Service Professional who assisted with your project if revisions are required.

To view your company's current Listing Information or for ordering Listing Information in the 3 x 5-inch card format, please refer to [www.ul.com](http://www.ul.com).

UCST7 February 13, 2008  
 Audible-signal Appliances, General Signal Certified for Canada

FEDERAL SIGNAL CORP SIGNAL DIV  
 2645 FEDERAL SIGNAL DR, UNIVERSITY PARK IL 60466

E4813

Device	Model	Installation Location	Enclosure Ratings		
			Type Rating Per UL 50	IEC "IP" Rating	
Audio visual signaling appliances	400HMK-AC(c)	Indoor/Outdoor	3R	None	
	400R(v4)(c4)	Indoor/Outdoor	3R	None	
	400ST(v4)(c4)	Indoor/Outdoor	3R	None	
	AV1(v)(c)	Indoor/Outdoor	3R	None	
	AV1-LED(v)(c)	Indoor/Outdoor	3R	None	
	AV1-ST(v)(c)	Indoor/Outdoor	3R	None	
	Bells, single stroke	700(a)(v1)(c)	Indoor/Outdoor	3R	None
704WB(v1)(c)		Indoor/Outdoor	3R	None	
706WB(v1)(c)		Indoor/Outdoor	3R	None	
710WB(v1)(c)		Indoor/Outdoor	3R	None	
800(a)(v2)(c)		Indoor/Outdoor	3R	None	
804WB(v2)(c)		Indoor/Outdoor	3R	None	
806WB(v2)(c)		Indoor/Outdoor	3R	None	
810WB(v2)(c)		Indoor/Outdoor	3R	None	
Bells, vibrating		500(a)(v1)(c)	Indoor/Outdoor	3R	None
		504WB(v1)(c)	Indoor/Outdoor	3R	None
	506WB(v1)(c)	Indoor/Outdoor	3R	None	
	510WB(v1)(c)	Indoor/Outdoor	3R	None	
	600(a)(v2)(c)	Indoor/Outdoor	3R	None	
	604WB(v2)(c)	Indoor/Outdoor	3R	None	
	606WB(v2)(c)	Indoor/Outdoor	3R	None	
	610WB(v2)(c)	Indoor/Outdoor	3R	None	
Horns, electronic	300(v6)(c)	Indoor/Outdoor	3R	None	
	300GC(v7)(c)	Indoor/Outdoor	3R	None	
	302GC(v8)(c)	Indoor/Outdoor	3R	None	



Device	Model	Installation Location	Enclosure Ratings	
			Type Rating Per UL 50	IEC "IP" Rating
	304GC (v9)(c)	Indoor/Outdoor	3R	None
	314GC (v9)(c)	Indoor/Outdoor	3R	None
	50GC (v10)(c)	Indoor/Outdoor	3R	None
	50GC, 50GCB	Indoor/Outdoor	3R	None
	54GC (v9)(c)	Indoor/Outdoor	3R	None
	54GCB (v9)(c)	Indoor/Outdoor	3R	None
	SST-MV (d)(v11)(c)	Indoor/Outdoor	3R	None
	SST3-MV (d)(v11)(c)	Indoor/Outdoor	3R	None
Horns, vibrating	350 (b)(v12)(c)	Indoor/Outdoor	4X	None
	350TR (v13)(c)	Indoor/Outdoor	4X, 12	None
	350WB (v3)(c)	Indoor/Outdoor	4X	None
	350WBX (v3)(c)	Indoor/Outdoor	4X	None
	450 (b)(v5)(c)	Indoor/Outdoor	4X	None
Plug-in modules	TC-BL	N/A	N/A	N/A
	TC-BP	N/A	N/A	N/A
	TC-HL	N/A	N/A	N/A
	TC-HN	N/A	N/A	N/A
	TC-ST	N/A	N/A	N/A
	TC-SW	N/A	N/A	N/A
	TC-TW	N/A	N/A	N/A
	TC-WL	N/A	N/A	N/A
	TC-YP	N/A	N/A	N/A
	TC-YW	N/A	N/A	N/A
	TM1	N/A	N/A	N/A
	TM10	N/A	N/A	N/A
	TM11	N/A	N/A	N/A
	TM11A	N/A	N/A	N/A
	TM12	N/A	N/A	N/A
	TM13	N/A	N/A	N/A
	TM2	N/A	N/A	N/A
	TM3	N/A	N/A	N/A
	TM33	N/A	N/A	N/A
	TM4	N/A	N/A	N/A
	TM5	N/A	N/A	N/A
	TM6	N/A	N/A	N/A
	TM7	N/A	N/A	N/A
	TM8	N/A	N/A	N/A
	TM9	N/A	N/A	N/A
	UTM	N/A	N/A	N/A
	Siren controller accessories	2001TRB	Indoor	None
Siren Controllers	ACFCTB Series (v3)(c2)	Indoor/Outdoor	4,4X	IP66
	DCFCTB Series (v3)(c2)	Indoor/Outdoor	4,4X	IP66
	FCTB Series (v3)(c2)	Indoor/Outdoor	4,4X	IP66
	UV Series (v15)(c2)	Indoor/Outdoor	4,4X	IP66
	UVIC Series(V15)(c2)	Indoor	1	IP20
	UVT Series (v15)(c2)	Indoor/Outdoor	4,4X	IP66

Device	Model	Installation Location	Enclosure Ratings	
			Type Rating Per UL 50	IEC "IP" Rating
Sirens	A (v4)(c)	Indoor/Outdoor	3R	None

- (a) - For use with A4, A6 or A10 gong assembly. IEC 60529 "IP" rating of 3R only when used with Model WB.
- (b) - Outdoor only when used with Model TR or WB. EC 60529 "IP" rating of 4X only when used with Model TR or WB (12 When used with Model TR).
- (c) - Operating Ambient Range -35C to +66C.
- (c2) - Operating Ambient Range -30C to +65C.
- (c4) - Operating Ambient Range -55C to +66C
- (d) - Outdoor only when used with Model WB. EC 60529 "IP" rating of 3R only when used with Model WB.
- (v) - Electrical Ratings: 24Vdc or 120Vac.
- (v1) - Electrical Ratings: 6Vac, 12Vac, 24Vac, 120Vac, 230/240Vac.
- (v10) - Electrical Ratings: 24Vdc, 120Vac, 230/240Vac.
- (v11) - Electrical Ratings: 24Vdc, 120Vac, 240Vac.
- (v12) - Electrical Ratings: 12Vac, 24Vac, 120Vac, 240Vac.
- (v13) - Electrical Ratings: 24Vac, 120Vac.
- (v15) - Electrical Ratings: 120Vac, 230-240Vac.
- (v2) - Electrical Ratings: 6Vdc, 12Vdc, 24Vdc, 48Vdc, 125Vdc, 250Vdc.
- (v3) - Electrical Ratings: 120Vac, 240Vac.
- (v4) - Electrical Ratings: 120Vac.
- (v5) - Electrical Ratings: 12Vdc, 24Vdc, 125Vdc, 250Vdc.
- (v6) - Electrical Ratings: 250Vac.
- (v7) - Electrical Ratings: 24Vdc, 48Vdc, 120/240Vac.
- (v8) - Electrical Ratings: 24Vdc, 120/240Vac
- (v9) - Electrical Ratings: 24Vdc

---

**LOOK FOR LISTING MARK ON PRODUCT**